

Springer Handbook of Enzymes Volume 30

Dietmar Schomburg and
Ida Schomburg (Eds.)

Springer Handbook of Enzymes

Volume 30

Class 2 • Transferases III

EC 2.3.1.60–2.3.3.15

coedited by Antje Chang

Second Edition

 Springer

Professor DIETMAR SCHOMBURG
e-mail: d.schomburg@uni-koeln.de

Dr. IDA SCHOMBURG
e-mail: i.schomburg@uni-koeln.de

Dr. ANTJE CHANG
e-mail: a.chang@uni-koeln.de

University to Cologne
Institute for Biochemistry
Zùlpicher Strasse 47
50674 Cologne
Germany

Library of Congress Control Number: 2006922085

ISBN-10 3-540-32583-2 2nd Edition Springer Berlin Heidelberg New York

ISBN-13 978-3-540-32583-3 2nd Edition Springer Berlin Heidelberg New York

The first edition was published as Volume 11 (ISBN 3-540-60295-X) and Volume 12 (ISBN 3-540-60703-X) of the "Enzyme Handbook".

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

Springer is a part of Springer Science+Business Media
springer.com

© Springer-Verlag Berlin Heidelberg 2006
Printed in Germany

The use of general descriptive names, registered names, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and free for general use.

The publisher cannot assume any legal responsibility for given data, especially as far as directions for the use and the handling of chemicals and biological material are concerned. This information can be obtained from the instructions on safe laboratory practice and from the manufacturers of chemicals and laboratory equipment.

Cover design: Erich Kirchner, Heidelberg
Typesetting: medionet AG, Berlin

Printed on acid-free paper 2/3141m-5 4 3 2 1 0

Attention all Users of the “Springer Handbook of Enzymes”

Information on this handbook can be found on the internet at
<http://www.springer.com>
choosing “Chemistry” and then “Reference Works”.

A complete list of all enzyme entries either as an alphabetical Name Index or as the EC-Number Index is available at the above mentioned URL. You can download and print them free of charge.

A complete list of all synonyms (> 25,000 entries) used for the enzymes is available in print form (ISBN 3-540-41830-X).

Save 15 %

We recommend a standing order for the series to ensure you automatically receive all volumes and all supplements and save 15 % on the list price.

Preface

Today, as the full information about the genome is becoming available for a rapidly increasing number of organisms and transcriptome and proteome analyses are beginning to provide us with a much wider image of protein regulation and function, it is obvious that there are limitations to our ability to access functional data for the gene products – the proteins and, in particular, for enzymes. Those data are inherently very difficult to collect, interpret and standardize as they are widely distributed among journals from different fields and are often subject to experimental conditions. Nevertheless a systematic collection is essential for our interpretation of genome information and more so for applications of this knowledge in the fields of medicine, agriculture, etc. Progress on enzyme immobilisation, enzyme production, enzyme inhibition, coenzyme regeneration and enzyme engineering has opened up fascinating new fields for the potential application of enzymes in a wide range of different areas.

The development of the enzyme data information system BRENDA was started in 1987 at the German National Research Centre for Biotechnology in Braunschweig (GBF) and is now continuing at the University at Cologne, Institute of Biochemistry. The present book “Springer Handbook of Enzymes” represents the printed version of this data bank. The information system has been developed into a full metabolic database.

The enzymes in this Handbook are arranged according to the Enzyme Commission list of enzymes. Some 4,000 “different” enzymes are covered. Frequently enzymes with very different properties are included under the same EC-number. Although we intend to give a representative overview on the characteristics and variability of each enzyme, the Handbook is not a compendium. The reader will have to go to the primary literature for more detailed information. Naturally it is not possible to cover all the numerous literature references for each enzyme (for some enzymes up to 40,000) if the data representation is to be concise as is intended.

It should be mentioned here that the data have been extracted from the literature and critically evaluated by qualified scientists. On the other hand, the original authors’ nomenclature for enzyme forms and subunits is retained. In order to keep the tables concise, redundant information is avoided as far as possible (e.g. if K_m values are measured in the presence of an obvious cosubstrate, only the name of the cosubstrate is given in parentheses as a commentary without reference to its specific role).

The authors are grateful to the following biologists and chemists for invaluable help in the compilation of data: Cornelia Munaretto and Dr. Antje Chang.

Cologne
Spring 2006

Dietmar Schomburg, Ida Schomburg

List of Abbreviations

A	adenine
Ac	acetyl
ADP	adenosine 5'-diphosphate
Ala	alanine
All	allose
Alt	altrose
AMP	adenosine 5'-monophosphate
Ara	arabinose
Arg	arginine
Asn	asparagine
Asp	aspartic acid
ATP	adenosine 5'-triphosphate
Bicine	N,N'-bis(2-hydroxyethyl)glycine
C	cytosine
cal	calorie
CDP	cytidine 5'-diphosphate
CDTA	trans-1,2-diaminocyclohexane-N,N,N,N-tetraacetic acid
CMP	cytidine 5'-monophosphate
CoA	coenzyme A
CTP	cytidine 5'-triphosphate
Cys	cysteine
d	deoxy-
D-	(and L-) prefixes indicating configuration
DFP	diisopropyl fluorophosphate
DNA	deoxyribonucleic acid
DPN	diphosphopyridinium nucleotide (now NAD ⁺)
DTNB	5,5'-dithiobis(2-nitrobenzoate)
DTT	dithiothreitol (i.e. Cleland's reagent)
EC	number of enzyme in Enzyme Commission's system
E. coli	Escherichia coli
EDTA	ethylene diaminetetraacetate
EGTA	ethylene glycol bis(-aminoethyl ether) tetraacetate
ER	endoplasmic reticulum
Et	ethyl
EXAFS	extended X-ray absorption fine structure
FAD	flavin-adenine dinucleotide
FMN	flavin mononucleotide (riboflavin 5'-monophosphate)
Fru	fructose
Fuc	fucose
G	guanine
Gal	galactose

GDP	guanosine 5'-diphosphate
Glc	glucose
GlcN	glucosamine
GlcNAc	N-acetylglucosamine
Gln	glutamine
Glu	glutamic acid
Gly	glycine
GMP	guanosine 5'-monophosphate
GSH	glutathione
GSSG	oxidized glutathione
GTP	guanosine 5'-triphosphate
Gul	gulose
h	hour
H4	tetrahydro
HEPES	4-(2-hydroxyethyl)-1-piperazineethane sulfonic acid
His	histidine
HPLC	high performance liquid chromatography
Hyl	hydroxylysine
Hyp	hydroxyproline
IAA	iodoacetamide
Ig	immunoglobulin
Ile	isoleucine
Ido	idose
IDP	inosine 5'-diphosphate
IMP	inosine 5'-monophosphate
ITP	inosine 5'-triphosphate
K _m	Michaelis constant
L-	(and D-) prefixes indicating configuration
Leu	leucine
Lys	lysine
Lyx	lyxose
M	mol/l
mM	millimol/l
<i>m-</i>	<i>meta-</i>
Man	mannose
MES	2-(N-morpholino)ethane sulfonate
Met	methionine
min	minute
MOPS	3-(N-morpholino)propane sulfonate
Mur	muramic acid
MW	molecular weight
NAD ⁺	nicotinamide-adenine dinucleotide
NADH	reduced NAD
NADP ⁺	NAD phosphate
NADPH	reduced NADP
NAD(P)H	indicates either NADH or NADPH
NBS	N-bromosuccinimide

NDP	nucleoside 5'-diphosphate
NEM	N-ethylmaleimide
Neu	neuraminic acid
NMN	nicotinamide mononucleotide
NMP	nucleoside 5'-monophosphate
NTP	nucleoside 5'-triphosphate
<i>o</i> -	<i>ortho</i> -
Orn	ornithine
<i>p</i> -	<i>para</i> -
PBS	phosphate-buffered saline
PCMB	<i>p</i> -chloromercuribenzoate
PEP	phosphoenolpyruvate
pH	$-\log_{10}[\text{H}^+]$
Ph	phenyl
Phe	phenylalanine
PHMB	<i>p</i> -hydroxymercuribenzoate
PIXE	proton-induced X-ray emission
PMSF	phenylmethane-sulfonylfluoride
<i>p</i> -NPP	<i>p</i> -nitrophenyl phosphate
Pro	proline
Q ₁₀	factor for the change in reaction rate for a 10°C temperature increase
Rha	rhamnose
Rib	ribose
RNA	ribonucleic acid
mRNA	messenger RNA
rRNA	ribosomal RNA
tRNA	transfer RNA
Sar	N-methylglycine (sarcosine)
SDS-PAGE	sodium dodecyl sulfate polyacrylamide gel electrophoresis
Ser	serine
T	thymine
t _H	time for half-completion of reaction
Tal	talose
TDP	thymidine 5'-diphosphate
TEA	triethanolamine
Thr	threonine
TLCK	N ^α - <i>p</i> -tosyl-L-lysine chloromethyl ketone
T _m	melting temperature
TMP	thymidine 5'-monophosphate
Tos-	tosyl- (<i>p</i> -toluenesulfonyl-)
TPN	triphosphopyridinium nucleotide (now NADP ⁺)
Tris	tris(hydroxymethyl)-aminomethane
Trp	tryptophan
TTP	thymidine 5'-triphosphate
Tyr	tyrosine
U	uridine
U/mg	μmol/(mg*min)

UDP	uridine 5'-diphosphate
UMP	uridine 5'-monophosphate
UTP	uridine 5'-triphosphate
Val	valine
Xaa	symbol for an amino acid of unknown constitution in peptide formula
XAS	X-ray absorption spectroscopy
Xyl	xylose

List of Deleted and Transferred Enzymes

Since its foundation in 1956 the Nomenclature Committee of the International Union of Biochemistry and Molecular Biology (NC-IUBMB) has continually revised and updated the list of enzymes. Entries for new enzymes have been added, others have been deleted completely, or transferred to another EC number in the original class or to different EC classes, catalyzing other types of chemical reactions. The old numbers have not been allotted to new enzymes; instead the place has been left vacant or cross-references given to the changes in nomenclature.

Deleted and Transferred Enzymes

For EC class 2.3.1.60–2.3.3.15 these changes are:

Recommended name	Old EC number	Alteration
6'-deoxychalcone synthase	2.3.1.120	deleted, reaction listed is due to EC 2.3.1.74
diacylglycerol acyltransferase	2.3.1.124	deleted, identical to EC 2.3.1.20

Index of Recommended Enzyme Names

EC-No.	Recommended Name	Page
2.3.1.155	acetyl-CoA C-myristoyltransferase	414
2.3.1.159	acridone synthase	427
2.3.1.129	acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase	316
2.3.1.62	2-acylglycerophosphocholine O-acyltransferase	14
2.3.2.9	agaritine γ -glutamyltransferase.	531
2.3.1.64	agmatine N^4 -coumaroyltransferase	22
2.3.2.14	D-alanine γ -glutamyltransferase	574
2.3.2.11	alanylphosphatidylglycerol synthase	540
2.3.1.84	alcohol O-acetyltransferase	125
2.3.1.152	alcohol O-cinnamoyltransferase	404
2.3.1.104	1-alkenylglycerophosphocholine O-acyltransferase	235
2.3.1.121	1-alkenylglycerophosphoethanolamine O-acyltransferase	297
2.3.1.125	1-alkyl-2-acetylgllycerol O-acyltransferase	307
2.3.1.105	alkylglycerophosphate 2-O-acetyltransferase	238
2.3.1.67	1-alkylglycerophosphocholine O-acetyltransferase	37
2.3.1.63	1-alkylglycerophosphocholine O-acyltransferase	19
2.3.1.81	aminoglycoside N^3 -acetyltransferase	104
2.3.1.82	aminoglycoside N^6 -acetyltransferase	108
2.3.1.153	anthocyanin 5-aromatic acyltransferase	406
2.3.1.144	anthranilate N-benzoyltransferase	379
2.3.1.113	anthranilate N-malonyltransferase	268
2.3.1.87	aralkylamine N-acetyltransferase	149
2.3.1.109	arginine N-succinyltransferase	250
2.3.2.8	arginyltransferase	524
2.3.2.7	aspartyltransferase	521
2.3.3.8	ATP citrate synthase	631
2.3.1.151	benzophenone synthase	402
2.3.1.137	carnitine O-octanoyltransferase	351
2.3.1.70	CDP-acylglycerol O-arachidonoyltransferase	52
2.3.1.98	chlorogenate-glucarate O-hydroxycinnamoyltransferase	212
2.3.3.3	citrate (Re)-synthase	612
2.3.3.1	citrate (Si)-synthase	582
2.3.1.80	cysteine-S-conjugate N-acetyltransferase	101
2.3.1.167	10-deacetylbaocatin III 10-O-acetyltransferase	451
2.3.1.107	17-O-deacetylvindoline O-acetyltransferase	243
2.3.3.2	decylcitrate synthase	609
2.3.3.4	decylhomocitrate synthase	616
2.3.1.120	<i>6'-deoxychalcone synthase (deleted, reaction listed is due to EC 2.3.1.74)</i>	296
2.3.1.124	<i>diacylglycerol acyltransferase (deleted, identical to EC 2.3.1.20)</i>	306
2.3.1.73	diacylglycerol-sterol O-acyltransferase	63
2.3.1.114	3,4-dichloroaniline N-malonyltransferase	270
2.3.1.61	dihydrolipamide S-succinyltransferase	7
2.3.1.168	dihydrolipoyllysine-residue (2-methylpropanoyl)transferase	453
2.3.1.123	dolichol O-acyltransferase	303
2.3.1.139	ecdysone O-acyltransferase	365

2.3.1.94	erythronolide synthase	183
2.3.3.7	3-ethylmalate synthase.	629
2.3.3.6	2-ethylmalate synthase.	626
2.3.1.85	fatty-acid synthase	131
2.3.1.86	fatty-acyl-CoA synthase	141
2.3.1.116	flavonol-3-O- β -glucoside O-malonyltransferase	278
2.3.1.101	formylmethanofuran-tetrahydromethanopterin N-formyltransferase	223
2.3.1.130	galactarate O-hydroxycinnamoyltransferase.	324
2.3.1.134	galactolipid O-acyltransferase	337
2.3.1.141	galactosylacylglycerol O-acyltransferase	370
2.3.1.60	gentamicin 3'-N-acetyltransferase	1
2.3.1.131	glucarate O-hydroxycinnamoyltransferase	326
2.3.1.132	glucarolactone O-hydroxycinnamoyltransferase	328
2.3.1.90	β -glucogallin O-galloyltransferase	168
2.3.1.143	β -glucogallin-tetrakisgalloylglucose O-galloyltransferase	376
2.3.1.157	glucosamine-1-phosphate N-acetyltransferase.	420
2.3.1.68	glutamine N-acyltransferase	47
2.3.2.5	glutaminyl-peptide cyclotransferase	508
2.3.2.4	γ -glutamylcyclotransferase	500
2.3.2.1	D-glutamyltransferase	467
2.3.2.2	γ -glutamyltransferase	469
2.3.2.15	glutathione γ -glutamylcysteinyltransferase	576
2.3.1.148	glycerophospholipid acyltransferase (CoA-dependent)	393
2.3.1.147	glycerophospholipid arachidonoyl-transferase (CoA-independent)	388
2.3.1.71	glycine N-benzoyltransferase	54
2.3.1.65	glycine N-choloyltransferase	26
2.3.1.96	glycoprotein N-palmitoyltransferase	190
2.3.1.142	glycoprotein O-fatty-acyltransferase	372
2.3.1.97	glycylpeptide N-tetradecanoyltransferase.	193
2.3.1.78	heparan- α -glucosaminide N-acetyltransferase	90
2.3.3.14	homocitrate synthase	688
2.3.1.118	N-hydroxyarylamine O-acetyltransferase	285
2.3.3.11	2-hydroxyglutarate synthase	672
2.3.1.93	13-hydroxylupinine O-tigloyltransferase	179
2.3.1.102	N ⁶ -hydroxylysine O-acetyltransferase	229
2.3.3.10	hydroxymethylglutaryl-CoA synthase	657
2.3.1.166	2 α -hydroxytaxane 2-O-benzoyltransferase	449
2.3.1.163	10-hydroxytaxane O-acetyltransferase	439
2.3.1.119	icosanoyl-CoA synthase	293
2.3.1.72	indoleacetylglucose-inositol O-acyltransferase	60
2.3.1.126	isocitrate O-dihydroxycinnamoyltransferase	310
2.3.1.115	isoflavone-7-O- β -glucoside 6"-O-malonyltransferase.	273
2.3.1.164	isopenicillin-N N-acyltransferase	441
2.3.3.13	2-isopropylmalate synthase.	676
2.3.1.66	leucine N-acetyltransferase	34
2.3.2.6	leucyltransferase	516
2.3.1.75	long-chain-alcohol O-fatty-acyltransferase	79
2.3.1.161	lovastatin nonaketide synthase	433
2.3.2.3	lysyltransferase	498
2.3.3.9	malate synthase.	644
2.3.1.79	maltose O-acetyltransferase	96
2.3.1.169	CO-methylating acetyl-CoA synthase	459
2.3.3.5	2-methylcitrate synthase	618

2.3.1.165	6-methylsalicylic acid synthase	444
2.3.1.69	monoterpenol O-acetyltransferase	49
2.3.1.111	mycocerosate synthase	262
2.3.1.100	myelin-proteolipid O-palmitoyltransferase	220
2.3.1.74	naringenin-chalcone synthase	66
2.3.1.127	ornithine N-benzoyltransferase	312
2.3.1.88	peptide α -N-acetyltransferase	157
2.3.2.12	peptidyltransferase	542
2.3.1.156	phloroisovalerophenone synthase	417
2.3.1.83	phosphatidylcholine-dolichol O-acyltransferase	123
2.3.1.135	phosphatidylcholine-retinol O-acyltransferase	339
2.3.1.158	phospholipid:diacylglycerol acyltransferase	424
2.3.1.146	pinosylvin synthase	384
2.3.1.145	piperidine N-piperoyltransferase	382
2.3.1.149	platelet-activating factor acetyltransferase	396
2.3.1.136	polysialic-acid O-acetyltransferase	348
2.3.1.154	propionyl-CoA C ² -trimethyltridecanoyltransferase	409
2.3.3.12	3-propylmalate synthase	674
2.3.2.13	protein-glutamine γ -glutamyltransferase	550
2.3.1.138	putrescine N-hydroxycinnamoyltransferase	361
2.3.1.99	quininate O-hydroxycinnamoyltransferase	215
2.3.1.76	retinol O-fatty-acyltransferase	83
2.3.1.128	ribosomal-protein-alanine N-acetyltransferase	314
2.3.1.140	rosmarinate synthase	367
2.3.1.150	salutaridinol 7-O-acetyltransferase	399
2.3.1.133	shikimate O-hydroxycinnamoyltransferase	331
2.3.1.91	sinapoylglucose-choline O-sinapoyltransferase	171
2.3.1.92	sinapoylglucose-malate O-sinapoyltransferase	175
2.3.1.103	sinapoylglucose-sinapoylglucose O-sinapoyltransferase	232
2.3.3.15	sulfoacetaldehyde acetyltransferase	696
2.3.1.106	tartronate O-hydroxycinnamoyltransferase	241
2.3.1.162	taxadien-5 α -ol O-acetyltransferase	436
2.3.1.89	tetrahydrodipicolinate N-acetyltransferase	166
2.3.1.117	2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase	281
2.3.1.122	trehalose O-mycolyltransferase	300
2.3.1.77	triacylglycerol-sterol O-acyltransferase	87
2.3.1.95	trihydroxystilbene synthase	185
2.3.1.112	D-tryptophan N-malonyltransferase	265
2.3.1.108	tubulin N-acetyltransferase	247
2.3.1.110	tyramine N-feruloyltransferase	254
2.3.2.10	UDP-N-acetylmuramoylpentapeptide-lysine N ⁶ -alanyltransferase	536
2.3.1.160	vinorine synthase	431

Description of Data Fields

All information except the nomenclature of the enzymes (which is based on the recommendations of the Nomenclature Committee of IUBMB (International Union of Biochemistry and Molecular Biology) and IUPAC (International Union of Pure and Applied Chemistry) is extracted from original literature (or reviews for very well characterized enzymes). The quality and reliability of the data depends on the method of determination, and for older literature on the techniques available at that time. This is especially true for the fields *Molecular Weight* and *Subunits*.

The general structure of the fields is: **Information – Organism – Commentary – Literature**

The information can be found in the form of numerical values (temperature, pH, K_m etc.) or as text (cofactors, inhibitors etc.).

Sometimes data are classified as *Additional Information*. Here you may find data that cannot be recalculated to the units required for a field or also general information being valid for all values. For example, for *Inhibitors*, *Additional Information* may contain a list of compounds that are not inhibitory.

The detailed structure and contents of each field is described below. If one of these fields is missing for a particular enzyme, this means that for this field, no data are available.

1 Nomenclature

EC number

The number is as given by the IUBMB, classes of enzymes and subclasses defined according to the reaction catalyzed.

Systematic name

This is the name as given by the IUBMB/IUPAC Nomenclature Committee

Recommended name

This is the name as given by the IUBMB/IUPAC Nomenclature Committee

Synonyms

Synonyms which are found in other databases or in the literature, abbreviations, names of commercially available products. If identical names are frequently used for different enzymes, these will be mentioned here, cross references are given. If another EC number has been included in this entry, it is mentioned here.

CAS registry number

The majority of enzymes have a single chemical abstract (CAS) number. Some have no number at all, some have two or more numbers. Sometimes two enzymes share a common number. When this occurs, it is mentioned in the commentary.

2 Source Organism

For listing organisms their systematic name is preferred. If these are not mentioned in the literature, the names from the respective literature are used. For example if an enzyme from yeast is described without being specified further, yeast will be the entry. This field defines the code numbers for the organisms in which the enzyme with the respective EC number is found. These code numbers (form <_>) are displayed together with each entry in all fields of BRENDA where organism-specific information is given.

3 Reaction and Specificity**Catalyzed reaction**

The reaction as defined by the IUBMB. The commentary gives information on the mechanism, the stereochemistry, or on thermodynamic data of the reaction.

Reaction type

According to the enzyme class a type can be attributed. These can be oxidation, reduction, elimination, addition, or a name (e.g. Knorr reaction)

Natural substrates and products

These are substrates and products which are metabolized in vivo. A natural substrate is only given if it is mentioned in the literature. The commentary gives information on the pathways for which this enzyme is important. If the enzyme is induced by a specific compound or growth conditions, this will be included in the commentary. In *Additional information* you will find comments on the metabolic role, sometimes only assumptions can be found in the references or the natural substrates are unknown.

In the listings, each natural substrate (indicated by a bold **S**) is followed by its respective product (indicated by a bold **P**). Products are given with organisms and references included only if the respective authors were able to demonstrate the formation of the specific product. If only the disappearance of the substrate was observed, the product is included without organisms or references. In cases with unclear product formation only a ? as a dummy is given.

Substrates and products

All natural or synthetic substrates are listed (not in stoichiometric quantities). The commentary gives information on the reversibility of the reaction,

Book Review. Springer Handbook of Enzymes. Ranade, Vasant V PhD. American Journal of Therapeutics: September-October 2009 - Volume 16 - Issue 5 - p 466. doi: 10.1097/MJT.0b013e318166ee53. Buy. © 2009 Lippincott Williams & Wilkins, Inc. Source. Springer Handbook of Enzymes. American Journal of Therapeutics 16(5):466, September-October 2009. Full-Size. Email. Springer handbook of enzymes by D. Schomburg, 2001, Springer edition, in English - 2nd ed. 5 editions of Springer handbook of enzymes found in the catalog. Add another edition? Springer handbook of enzymes. Dietmar Schomburg and Ida Scho Springer handbook of enzymes. —Close. Sponsor. The Springer Handbook of Enzymes devotes a variable number of pages for each enzyme, depending on the amount of information available with the EC number as ordering criterion within a volume. Springer Handbook of Enzymes is an ideal source of information for researchers in biochemistry, biotechnology, organic and analytical chemistry, and food sciences, as well as for medicinal applications. Save 15%. We recommend a standing order for the series to ensure you automatically receive all volumes and all supplements and to save 15% on the list price.